Author Index

Amis, L., see Dixon, D. W. 411
Andary, C., see Enjalbert, F. 442
Andronikashvili, T. G., see Hradil, J. 61
Ansari, G. A. S., see Bhat, H. K. 467
Archer, A. W.
Analysis of vanilla essences by high-performance liquid chromatography 461
Armstrong, D. W.
—— and Jin, H. L.
Evaluation of the liquid chromatographic separation of monosaccharides, disaccharides, trisaccharides, tetrasaccharides, deoxysaccharides and sugar alcohols with stable cyclodextrin bonded phase columns 219
Ashley, D. L., see Orti, D. L. 269
Atamańczuk, B., see Wiśniewski, M. 39
Balschukat, D.
—— and Kunesch, H.
Bestimmung von Taurin: Einfluss der Coiltemperatur auf die Peakreinheit des Taurins 105
Bardarov, V.
—— and Mitewa, M.
High-performance liquid and gas chromatography of dialkylphosphates, dialkylthiophosphates and dialkyldithiophosphates as their pentafluorobenzyl derivatives 233
Baumann, U., see Zimmerli, B. 406
Beauvais, F., see Roussel, C. 95
Bhat, H. K.
—— and Ansari, G. A. S.
Chromatographic separation of cholesteryl acetate and its chloro analogues 467
Bighi, C., see Dondi, F. 205
Bourrier, M. J., see Enjalbert, F. 442
Brunet, P., see Sarrobert, B. 303
Cabras, P.
——, Meloni, M., Plumitallo, A. and Gennari, M.
High-performance liquid chromatographic determination of ethiofencarb and its metabolic products 430
Cain-Janicki, K., see Crary, J. R. 85
Callahan, J., see Dixon, D. W. 411
Champlin, P. B., see Wang, T. 147
Charbonneau, C. F., see Lawrence, J. F. 349, 419
Chemlal, A., see Roussel, C. 95
Cheng, W.-L., see Jao, Y. 191
Cigánek, M., see Dressler, M. 155
Čomor, J. J., see Kopečni, M. M. 392
Crary, J. R.
——, Cain-Janicki, K. and Wijayaratne, R.
External recycle chromatography: a practical method for preparative purifications 85
Čupic, S. D., see Kopečni, M. M. 392
Daignault, L. G.
——, Jackman, D. C. and Rillema, D. P.
Behaviour of simple salts on silica and C_{18} columns. Retention dynamics of cations, anions and ion pairs 71
Denissen, J. F.
Preparative separation of the enantiomers of the cholecystokinin antagonist (3*S*)-(±)-N-(2,3-dihydro-1-([$^3H_3$]methyl)-2-oxo-5-phenyl-1H-1,4-benzodiazepine-3-yl)-1H-indole-2-carboxamide by high-performance liquid chromatography 454
De Waal, W. A. J.
——, Kuiper, C. C. H. M., Maessen, F. J. M. J., Kraak, J. C., Wijnands, R. and Jonker, R. J.
Selection of conditions for the molecular size speciation of vanadium and nickel complexes in oil by size-exclusion chromatography coupled with inductively coupled plasma-atomic emission spectrometry 115
De Wit, J. S. M.
——, Tomer, K. B. and Jorgenson, J. W.
Characterization of the direct-probe open-tubular liquid chromatography–mass spectrometry interface parameters 365
Dick, R., see Zimmerli, B. 406
Dickerson, J. P., see Hester, R. D. 3
Dixon, D. W.
——, Amis, L., Kim, M. S. and Callahan, J.
Characterization and purification of iron porphyrins by high-performance liquid chromatography and column chromatography 411
Dondi, F.
——, Grassini-Strazza, G., Kahie, Y. D., Lodi, G., Pietrogrande, C., Reschiglian, P. and Bighi, C.
Comparison of reversed-phase thin-layer and high-performance liquid chromatography of flavonoid compounds 205
Dressler, M.
—— and Cigánek, M.
Effect of particle treatment of composite filler on its interaction coefficient 155
Ďulák, K., see Petro, M. 426
Duong, H. T., see Renzi, N. L. 398
Egli, T., see Schneider, R. P. 293
Enjalbert, F.
——, Bourrier, M. J. and Andary, C.
Assay for the main phallotoxins in *Amanita phalloides* Fr. by direct fluorimetry on thin-layer plates 442

Evans, M. B.
—— and Haken, J. K.
Dispersion and selectivity indices in gas chromatography. III. Alkyl, ω-chloroethyl and alkenyl benzoate and chlorobenzoate esters 31
Fortier, N. E.
—— and Fritz, J. S.
Use of a post-column reaction and a spectrophotometric detector for the liquid chromatographic determination of water 323
Fritz, J. S., see Fortier, N. E. 323
——, see Warth, L. M. 165
Fronheiser, M. E., see Renzi, N. L. 398
Fu, R., see Liu, H. 376
Fulton, D. J., see Renzi, N. L. 398
García-Raso, A., see Martínez-Castro, I. 49
Gennari, M., see Cabras, P. 430
Gogitidze, M. N., see Hradil, J. 61
Grainger, J., see Orti, D. L. 269
Grassini-Strazza, G., see Dondi, F. 205
Guan, Z., see Liu, H. 376
Haken, J. K., see Evans, M. B. 31
Hamer, G., see Schneider, R. P. 293
Hansen, B., see Linde, S. 243
——, see Welinder, B. S. 255
Harada, K.-I., see Oka, H. 315
Hartmann, T., see Pieters, L. A. 387
Hartwick, R. A., see Wang, T. 147
Hashimoto, Y.
Improved method for amino acid analysis of stained collagen bands from polyacrylamide gels using high-performance liquid chromatography 341
Hayashi, Y., see Matsuda, R. 13, 23
Hester, R. D.
——, Vaidya, R. A. and Dickerson, J. P.
Chromatographic dispersion corrections utilizing the generalized exponential function 3
Hill, R. H., see Orti, D. L. 269
Horikawa, Y., see Ôi, N. 382
Hoshi, Y., see Shinomiya, K. 471
Hradil, J.
——, Švec, F., Kakriashvili, N. D., Gogitidze, M. N. and Andronikashvili, T. G.
Solute–solvent interactions of macroporous methacrylate ion exchangers in salt form studied by gas chromatography 61
Ikai, Y., see Oka, H. 315
Imanari, T., see Shinomiya, K. 473
Ishibashi, M., see Matsuda, R. 13, 23
Jackman, D. C., see Daignault, L. G. 71
Janssens, J., see Pieters, L. A. 387
Jao, Y.
——, Cheng, W.-L. and Ting, G.
Chromatographic separation and purification of xenon-133 191
Jin, H. L., see Armstrong, D. W. 219
Jonker, R. J., see De Waal, W. A. J. 115
Jorgenson, J. W., see De Wit, J. S. M. 365
Joshi, N. N.
—— and Srebnik, M.
Resolution of *rac*-1,2-halohydrins by chiral complexation gas chromatography 458
Kahie, Y. D., see Dondi, F. 205
Kakriashvili, N. D., see Hradil, J. 61
Kawamura, N., see Oka, H. 315
Kim, M. S., see Dixon, D. W. 411
Kitahara, H., see Ôi, N. 382
Kobayashi, K.
——, Powell, A. D., Toyoda, M. and Saito, Y.
High-performance liquid chromatographic method for the simultaneous analysis of α-solanine and α-chaconine in potato plants cultured *in vitro* 357
——, see Siato, K. 333
Kopečni, M. M.
——, Tarana, M. V., Čupic, S. D. and Čomor, J. J.
Gas chromatographic determination of phenols in waste water–oil emulsions 392
Kraak, J. C., see De Waal, W. A. J. 115
Kuiper, C. C. H. M., see De Waal, W. A. J. 115
Kunesch, H., see Balschukat, D. 105
Lacroix, G. M. A., see Lawrence, J. F. 419
Lawrence, J. F.
——, Charbonneau, C. F., Ménard, C., Quilliam, M. A. and Sim, P. G.
Liquid chromatographic determination of domoic acid in shellfish products using the paralytic shellfish poison extraction procedure of the Association of Official Analytical Chemists 349
——, Charbonneau, C. F., Page, B. D. and Lacroix, G. M. A.
Confirmation of domoic acid in molluscan shellfish by chemical derivatization and reversed-phase liquid chromatography 419
Lederer, M.
Edgar Lederer, 1908–1988 (Obituary) 1
Linde, S.
——, Nielsen, J. H., Hansen, B. and Welinder, B. S.
Reversed-phase high-performance liquid chromatographic analyses of insulin biosynthesis in isolated rat and mouse islets 243
Liu, H.
——, Fu, R., Guan, Z. and Tian, L.
Modified column system for pyrolysis capillary gas chromatography 376
Lodi, G., see Dondi, F. 205
Maessen, F. J. M. J., see De Waal, W. A. J. 115
Margel, S.
Affinity separation with polyaldehyde microsphere beads 177

Martínez-Castro, I.
——, Páez, M. I., Sanz, J. and García-Raso, A.
Gas chromatographic behaviour of carbohydrate trimethylsilyl ethers. II. Aldohexoses 49
Matsuda, R.
——, Hayashi, Y., Ishibashi, M. and Takeda, Y.
An information theory of chromatography. I. Evaluation of analytical systems by means of *fumi* 13
——, Hayashi, Y., Ishibashi, M. and Takeda, Y.
An information theory of chromatography. II. Application of *fumi* to the optimization of overlapped chromatograms 23
Matsumoto, Y., see Ôi, N. 382
Meloni, M., see Cabras, P. 430
Ménard, C., see Lawrence, J. F. 349
Mitewa, M., see Bardarov, V. 233
Mourier, P. A.
Determination of gallamine and its impurities by reversed-phase ion-pair high-performance liquid chromatography and comparison with thin-layer chromatography 281
Murakoshi, I., see Saito, K. 333
Nakajima, H., see Ôi, N. 382
Naples, J. O., see Warth, L. M. 165
Nielsen, J. H., see Linde, S. 243
Ohmiya, S., see Saito, K. 333
Ôi, N.
——, Kitahara, H., Matsumoto, Y., Nakajima, H. and Horikawa, Y.
(*R*)-N-(3,5-Dinitrobenzoyl)-1-naphthylglycine as a chiral stationary-phase for the separation of enantiomers by high-performance liquid chromatography 382
Oka, H.
——, Ikai, Y., Kawamura, N., Yamada, M., Harada, K.-I., Yamazaki, Y. and Suzuki, M.
Improvement of chemical analysis of antibiotics. XV. Isocratic high-performance liquid chromatographic methods for the analysis and preparative separation of the components of bacitracin 315
Orti, D. L.
——, Grainger, J., Ashley, D. L. and Hill, Jr., R. H.
Chromatographic and spectroscopic properties of hemiacetals of aflatoxin and sterigmatocystin metabolites 269
Otomasu, H., see Saito, K. 333
Páez, M. I., see Martínez-Castro, I. 49
Page, B. D., see Lawrence, J. F. 419
Paris-Pireyre, N., see Sarrobert, B. 303
Pastor, J.
——, Pauli, A. M. and Schreiber-Deturmeny, E.
Dosage du dihydrosafrole dans le bytoxyde de pipéronyle par chromatographie liquide haute performance 435
Pauli, A. M., see Pastor, J. 435
Petro, M.
—— and Ďulák, K.
Determination of morpholinosulphenylbenzothiazole by high-performance liquid chromatography 426
Pieters, L. A.
——, Hartmann, T., Janssens, J. and Vlietinck, A. J.
Comparison of capillary gas chromatography with ^{1}H and ^{13}C nuclear magnetic resonance spectroscopy for the quantitation of pyrrolizidine alkaloids from *Senecio vernalis* 387
Pietrogrande, C., see Dondi, F. 205
Plumitallo, A., see Cabras, P. 430
Powell, A. D., see Kobayashi, K. 357
Quilliam, M. A., see Lawrence, J. F. 349
Rabinowitz, M., see Renzi, N. L. 398
Renzi, N. L.
——, Fronheiser, M. E., Duong, H. T., Fulton, D. J. and Rabinowitz, M.
Stability-indicating high-performance liquid chromatography assay for bepridil hydrochloride drug substance and drug products 398
Reschiglian, P., see Dondi, F. 205
Rillema, D. P., see Daignault, L. G. 71
Roussel, C.
——, Stein, J.-L., Beauvais, F. and Chemlal, A.
Example of the concentration dependence of elution order in the resolution of enantiomers on microcrystalline triacetylcellulose chiral stationary phase 95
Saito, K.
——, Kobayashi, K., Ohmiya, S., Otomasu, H. and Murakoshi, I.
Analysis of lupine alkaloids in plants by high-performance liquid chromatography 333
Saito, Y., see Kobayashi, K. 357
Sanz, J., see Martínez-Castro, I. 49
Sarrobert, B.
——, Brunet, P. and Paris-Pireyre, N.
Mise au point d'une méthode par chromatographie liquide haute performance échangeuse d'ions en détection ultraviolette, pour le dosage des cations dans les sèves xylémiques 303
Schneider, R. P.
——, Zürcher, F., Egli, T. and Hamer, G.
Ion chromatography method for iminodiacetic acid determination in biological matrices in the presence of nitrilotriacetic acid 293
Schreiber-Deturmeny, E., see Pastor, J. 435

Shinomiya, K.
——, Hoshi, Y. and Imanari, T.
Sensitive detection of unsaturated disaccharides from chondroitin sulphates by thin-layer chromatography as their dansylhydrazine derivatives 471
Sim, P. G., see Lawrence, J. F. 349
Sørensen, H. H., see Welinder, B. S. 255
Spierenburg, Th. J., see Zoun, P. E. F. 448
Srebnik, M., see Joshi, N. N. 458
Stein, J.-L., see Roussel, C. 95
Suzuki, M., see Oka, H. 315
Švec, F., see Hradil, J. 61
Szymanowski, J., see Wiśniewski, M. 39
Takeda, Y., see Matsuda, R. 13, 23
Tarana, M. V., see Kopečni, M. M. 392
Tian, L., see Liu, H. 376
Ting, G., see Jao, Y. 191
Tomer, K. B., see De Wit, J. S. M. 365
Toyoda, M., see Kobayashi, K. 357
Vaidya, R. A., see Hester, R. D. 3
Vlietinck, A. J., see Pieters, L. A. 387
Waal, W. A. J. de, see De Waal, W. A. J. 115
Wang, T.
——, Hartwick, R. A. and Champlin, P. B.
Adjustable aperture-width detector cell for on-column detection in capillary zone electrophoresis 147
Warth, L. M.
——, Fritz, J. S. and Naples, J. O.
Preparation and use of latex-coated resins for anion chromatography
Welinder, B. S., see Linde, S. 243
——, Sørensen, H. H. and Hansen, B.
High-performance liquid chromatographic separation of membrane proteins isolated from erythrocyte ghosts 255
Wijayaratne, R., see Crary, J. R. 85
Wijnands, R., see De Waal, W. A. J. 115
Wiśniewski, M.
——, Szymanowski, J. and Atamańczuk, B.
Analysis and molar mass distribution of polyoxyethylene 4-alkylphenylamines 39
Wit, J. S. M. De, see De Wit, J. S. M. 365
Wu, C.-M., see Yu, T.-H. 137
Yamada, M., see Oka, H. 315
Yamazaki, Y., see Oka, H. 315
Yu, T.-H.
—— and Wu, C.-M.
Effects of pH on the formation of flavour compounds of disrupted garlic 137
Zimmerli, B.
——, Dick, R. and Baumann, U.
High-performance liquid chromatographic determination of citrinin in cereals using an acid-buffered silica gel column 406
Zoun, P. E. F.
—— and Spierenburg, Th. J.
Determination of cholinesterase-inhibiting pesticides and some of their metabolites in cases of animal poisoning using thin-layer chromatography 448
Zürcher, F., see Schneider, R. P. 293

Erratum

J. Chromatogr., 452 (1988) 309–316
p. 312, eqn. 8 should read:

$$\alpha = \frac{k'_{A_R}}{k'_{A_S}} = \frac{k''_{A_R}}{k''_{A_S}} \cdot \frac{1 + K^m_{A_S\mathrm{CuB}}[\mathrm{CuB}^m]}{1 + K^m_{A_R\mathrm{CuB}}[\mathrm{CuB}^m]}$$

$$= \frac{1 + K^m_{A_S\mathrm{CuB}}[\mathrm{CuB}^m]}{1 + K^m_{A_R\mathrm{CuB}}[\mathrm{CuB}^m]}$$